



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

PRELIMINARY ISSUE

POSITIVE RECALL

EFFECTIVE DATE AUTH

RELEASED 9 DATE

9-89

10-02-22

D5795-7

Job Sheet 206995

OK to release @ Rev A per ECN 20-521

Part No: D5795-7

Job Qty: 12 pcs

Part Name: Rib



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/14/20

Job Tracking No:

Due Date: 3/13/20

Created By: Linda Lacelle

Type: Stock

Description:

Note: DWG 5795 REV.A8 IPP REV:A NEW ISSUE 20.31.01 JV VERF:DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard	Workcenter/Supplier		Sign-off
					Setup Run Hrs Hrs	Workcenter / Supplier	Lead Time	
100	Large Fab - Basket - 1	12 pcs	3/13/20	3/13/20	0.00 1.20	Large Fab - 1		
						Large Fab - 10		
						Large Fab - 2		
						Large Fab - 3		
						Large Fab - 4		
						Large Fab - 5		
						Large Fab - 6		
						Large Fab - 7		
						Large Fab - 8		
						Large Fab - 9		
						Large Fab - 11 (Various)		
						Large Fab - 12		
110	QC 5	12 pcs	3/13/20	3/13/20	0.00 0.00	QC 5 - 10		
						QC 5 - 12		
						QC 5 - 17		
						QC 5 - 18		
						QC 5 - 19		
						QC 5 - 22		
						QC 5 - 24		
						QC 5 - 3		
						QC 5 - 43		
						QC 5 - 49		
						QC 5 - 51		
						QC 5 - 58		
						QC 5 - 68		
						QC 5 - 9		
						QC 5 - 50		
						QC 5 - 30		
						QC 5 - 40		
						QC 5 - 61		
						QC 5 - 81		



Container No: S256973



Part: D5795-7

Job No: 206995

Serial No/Batch: S256973

Revision: REV.A

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 02/20/20

120 Packaging 3-1 - Stock - B4B 12 pcs

3/13/20 0.00 0.00

Packaging 3 - 1 - B4B
 Packaging 3 - 2 - B4B
 Packaging 3 - 3 - B4B
 Packaging 3 - 4 - B4B
 Packaging 3 - 5 - B4B
 Packaging 3 - 6 - B4B
 Packaging 3 - 7 - B4B
 Packaging 3 - 8 - B4B
 Packaging 3 - 9 - B4B
 Packaging 3 - 10 - B4B
 Packaging 3 - 11 - B4B
 Packaging 3 - 12 - B4B
 Packaging 3 - 13 - B4B
 Packaging 3 - 14 - B4B
 Packaging 3 - 15 - B4B
 Packaging 3 - 16 - B4B
 Packaging 3 - 17 - B4B
 Packaging 3 - 18 - B4B
 Packaging 3 - 19 - B4B
 Packaging 3 - 20 - B4B
 Packaging 3 - 21 - B4B
 Packaging 3 - 22 - B4B
 Packaging 3 - 23 - B4B
 Packaging 3 - 24 - B4B
 Packaging 3 - 25 - B4B
 Packaging 3 - 26 - B4B
 Packaging 3 - 27 - B4B
 Packaging 3 - 28 - B4B
 Packaging 3 - 29 - B4B
 Packaging 3 - 30 - B4B
 Packaging 3 - 31 - B4B
 Packaging 3 - 32 - B4B
 Packaging 3 - 33 - B4B
 Packaging 3 - 34 - B4B
 Packaging 3 - 35 - B4B
 Packaging 3 - 36 - B4B
 Packaging 3 - 37 - B4B

MAL

130 QC 21 - SA

12 pcs

3/13/20

0.00 0.00

QC 21 - SA - 21

QC 21 - SA - 70

QC 21 - SA - 53

DAS
21
5-20

FEB 25 2020

Part Op 100 - 1- Cut as per dwg 2- Deburr

Descriptions: 110 - QC5- Inspect part completeness to step on W/O

120 - Identify as per dwg & Stock Location: WAB04

130 - QC21- Final Inspection - Work Order Release

Job BOM


Part / Item	Component Name	Quantity	Operation	Container
M4130NTS0.750W.035	4130 Square Tube 0.750 X 0.035W	21.0996 ft (1.7583 ea)	100-Large Fab - Basket - 1	S250 794

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Large Fab - Basket - 1	M4130NTS0.750W.035	21	609	0


Part Specifications

Specifications could not be found.



D5795-041 SHORT LID ASSY
(DERIVED FROM AERO DESIGN P/N 77612-01)
(MESH SHOWN LOCALLY FOR CLARITY)

QTY -041	PIN	DESCRIPTION
X	D5795-041	SHORT LID ASSY
2	D5785-041	HANDLE BRACKET
1	D5795-3	BACK RIM
1	D5795-5	FRONT RIM
2	D5795-7	RIB
2	D5795-11	STRINGER
4	D5795-13	PLACARD BRACKET
1	D5795-15	LID MESH
1	D5802-1	TREADPLATE
2	D5853-045	LID RIM WELDMENT
14	CR3213-4-02	RIVET




SECTION A-A
SCALE 2X

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005.4.3.
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5795-041" AND SERIAL NUMBER PER DART QSI 044.6.6
 - 7) WEIGHT: 14.15 lbs
 - 8) WELD PER DART QSI 004
 - 9) DRILL #30 (.00129) VENT HOLES AS REQUIRED. FILL ALL EXPOSED VENT HOLES WITH ROSETTE WELD PRIOR TO FINISH.
 - 10) INSTALL TREADPLATE AFTER FINISH. TRANSFER MARK AND DRILL HOLES Ø0.129/0.132 FROM TREADPLATE TO LID. FAY SEAL TO SURFACES BETWEEN LID AND TREADPLATE WITH RTV SILICONE. SECURE TREADPLATE WITH RIVETS.
 - 11) WELD EVERY MESH INTERSECTION ALONG RIM.
 - 12) FOR EACH RIB, WELD FIRST 5 MESH INTERSECTIONS DOWN EACH END THEN EVERY 2ND MESH INTERSECTION.
 - 13) FOR EACH STRINGER, WELD EVERY 2ND MESH INTERSECTION.

PRELIMINARY ISSUE

REV.	NEW ISSUE	DESCRIPTION	ZF	BY	DATE
DESIGN			ZF		
DRAWN			ZF		
CHECKED			KPT		
MFG. APPR.			DD		
APPROVED					
DE APPR.					
DATE	20.01.15				

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	REV. A6
D5795	SHEET 1 OF 6
SHORT LID ASSY	SCALE
	NTS
COPYRIGHT © 2020 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT BE USED ONLY FOR THE PURPOSES AND IN THE MANNER SPECIFIED HEREIN. NO OTHER REPRODUCTION OR WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




PRELIMINARY ISSUE


PRELIMINARY ISSUE

DESIGN	ZF	DART AEROSPACE LTD
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA
CHECKED	KPT	DRAWING NO. D5795
MFG. APPR.	DD	REV. A6 SHEET 2 OF 6
APPROVED		TITLE SHORT LID ASSY
DE APPR.		SCALE NTS
DATE	20.01.15	COPYRIGHT © 2020 BY DART AEROSPACE LTD THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD


8 7 6 5 4 3 2 1




D5795-3 BACK RIM



D5795-5 FRONT RIM



D5795-7 RIB



SECTION C-C

PRELIMINARY ISSUE

PRELIMINARY ISSUE

- NOTES:
- 1) MATERIAL: AISI 4130N STEEL SQUARE TUBING, 3/4 X 0.035 WALL
PER MIL-T-6736 OR AMS 6371/6370/6361/6362/6373/6374
REF DART SPEC M4130N-TS
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: -3.45; 1.55 lbs
-7: 0.58 lbs

DESIGN	ZF	DART AEROSPACE LTD
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA
CHECKED	KPT	DRAWING NO.
MFG. APPR.	DD	D5795
APPROVED		TITLE
DE APPR.		SHORT LID ASSY
DATE	20.01.15	SCALE
		NTS

© 2020 BY DART AEROSPACE LTD.
THIS DOCUMENT IS UNCLASSIFIED OR DECLASSIFIED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1

D


C

B


A



D5795-11 STRINGER



D5795-13 STRINGER



SECTION D-D

PRELIMINARY ISSUE

PRELIMINARY ISSUE


- NOTES:
- 1) MATERIAL: AISI 4130N STEEL SQUARE TUBING, 1/2 X 0.035 WALL PER MIL-T-6736 OR AMS 6371/6370/6361/6362/6373/6374 REF DART SPEC M4130N-TS
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: -11-13: 0.32 lbs

DESIGN	ZF	DART AEROSPACE LTD
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA
CHECKED	KPT	DRAWING NO.
MFG. APPR.	DD	D5795
DE APPR.		TITLE
DATE	20.01.15	SHORT LID ASSY
		SCALE
		NTS



COPYRIGHT © 2020 BY DART AEROSPACE LTD.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IF IT IS REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD., IT SHALL BE DEEMED TO BE A VIOLATION OF THE COPYRIGHT LAWS OF CANADA.

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1



D5795-15F PLACARD BRACKET
(DERIVED FROM AERO DESIGN P/N 36204-10)
(MAKE FROM D5795-15F)



D5795-15F FLAT PATTERN

- NOTES:
- 1) MATERIAL: AISI 1010/1025 STEEL SHEET, COLD ROLLED, #20GA (0.035 THICK)
PER ASTM A36/A366/A568/A1008 OR CSA G40-21 38W/44W/50W/60W/70W
REF DART SPEC M1010-S
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.08 lbs

PRELIMINARY ISSUE

DESIGN	ZF	DART AEROSPACE LTD
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA
CHECKED	KPT	DRAWING NO.
MFG. APPR.	DD	D5795
DE APPR.		TITLE
DATE	20.01.15	SHORT LID ASSY
		SCALE
		NTS


COPYRIGHT © 2020 BY DART AEROSPACE LTD.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS SPECIFICALLY ISSUED.
UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES.

PRELIMINARY ISSUE

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

D C B A



D5795-17 LID MESH
(MESH SHOWN LOCALLY FOR CLARITY)

PRELIMINARY ISSUE

- NOTES:
- 1) MATERIAL: CARBON STEEL EXPANDED METAL MESH 3/4-16F
PER ASTM F1267 OR MIL-M-17194D
REF DART SPEC M569EX
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 4.56 lbs

PRELIMINARY ISSUE

DESIGN	ZF	DART AEROSPACE LTD
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA
CHECKED	KPT	DRAWING NO.
MFG. APPR.	DD	D5795
APPROVED		TITLE
DE APPR.		SHORT LID ASSY
DATE	20.01.15	SCALE
		NTS

© 2020 BY DART AEROSPACE LTD.
THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD.
NOT TO BE USED FOR ANY PURPOSE OR COPIES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8 7 6 5 4 3 2 1



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB045594



Supplier: FAC001-VU
Factory Steel
14020 Oakland Ave.
Detroit, MI 48203 USA
Phone: 313 883 6300
Fax: 313 883 4883

PO No: POHB045594

PO Date: 1/16/20

Due Date: 2/4/20

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Phone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

JAN 16 2020

Items

Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1		M4130NTS0.750W.035			4130 Square Tube 0.750 X 0.035W : MATERIAL: AISI 4130N STEEL SQUARE TUBING PER ONE OF THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371, 6390, 6361, 6362, 6373 OR 6374	Firmed	-	2/4/20	600 ft	0 ft	600 ft	\$7.25/ft	\$4,350.00
2		M4130NTS1.000W.065			4130 Square Tube 1.000" X 1.000" X 0.065"W : MATERIAL: AISI 4130N STEEL SQUARE TUBING PER ONE OF THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371, 6390, 6361, 6362, 6373 OR 6374	Firmed	-	2/4/20	160 ft	0 ft	160 ft	\$11.70/ft	\$1,872.00
												Grand Total: \$6,222.00	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER
POHB045594



Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable). No Raw Metals from China or Soviet Bloc Countries. (DFARS)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program.

A049 supplier awareness.

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 1/16/20 11:38 AM Dart.Lavoie.Chantal

PACKING LIST

No. 67371

PG 1 OF 1

PL

FACTORY STEEL & METAL SUPPLY 14020 OAKLAND AVENUE DETROIT, MI 48203		CUSTOMER PO POHB045594 CUSTOMER JOB		BUYER CHANTEL LAVOIE Tel (613) 632-3336 Fax (613) 632-4443		SHIP DATE 01/21/2020	
(313)883-6300 PHONE (313)883-4883 FAX		SALES ORDER 60306		ORDER DATE 01/16/2020		SHIP VIA ****TRUCK****	
SOLD TO DART AEROSPACE 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7		SHIP TO DART AEROSPACE 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7		SALES REP MICK HALON		RESALE # 59-2958719	
				SHIP INST CALL WHEN READY		CARRIER TRUCK	
				PRO#		BLIND Y/N N	
				TERMS NET 30 DAYS		FOB DETROIT	

LINE	QUANTITY	DESCRIPTION	WIDTH	LENGTH	WEIGHT
1	609.917 FT	4130N CD SMLSS SQ TUBE 3/4" X .035W Tag Mill Ref # Heat 153513 023679 616506	Pcs Length 26 20' /24' RL	20' /24' RL Feet 609.917	207.554 Weight 207.554
2	171.333 FT	4130N CD SMLSS SQ TUBE 1" X .065W Tag Mill Ref # Heat 153514 072143 072067859	Pcs Length 7 22' /23' RL	22' /23' RL Feet 171.333	141.606 Weight 141.606
3	1 PCS	PACKING CHARGES MTRS (CIRCLE) FAX SHIPMENT INVOICE ALL DATE: _____ INITIAL: _____			

TOTAL WT 349 LBS									
RECEIVED BY - SIGNATURE			RECEIVED BY - PRINTED NAME			DATE RECEIVED			

LIVE 1
M4130NTS 0.750W.035

616506



DESIGN DH	DRAWN BY DH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. M4130N-TS	REV. A SHEET 1 OF 1
DATE 05.02.09		TITLE 4130N SQUARE TUBING	SCALE NTS
A	05.02.09	NEW ISSUE	

PURCHASE MATERIAL:

AISI4130N STEEL SQUARE TUBING PER ONE OF
THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371,
6360, 6361, 6362, 6373 OR 6374

DAS
82
9-89

PART NUMBER:

M4130N-TS | A.AAA | W | .TTT |

WHERE A.AAA = WIDTH IN INCHES
TTT = WALL THICKNESS IN INCHES

EXAMPLE: 0.50" X 0.035" WALL = M4130N-TS0.500W.035

RELEASED
05.02.09 [Signature]

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**PLYMOUTH TUBE CO.**

1203 East 12th Street, Streator, Illinois 61364

Phone: (815) 672-1645 Fax: (815) 672-1645

TRUST YOUR SOURCE ACCEPT NO SUBSTITUTIONS**PRODUCT CERTIFICATION**

SALES ORDER - LINE / RLS

175629 - 1 / 0**SHIP TO**

Factory Steel & Metal Supply C
14020 Oakland Avenue
Detroit, MI 48203
USA

WORK ORDER 023679

PCS/HEAT 0

HEAT NUMBER 616506

MELT SOURCE Benteler Steel & Tube-Germany

CUSTOMER P.O.	CUSTOMER PART	QUANTITY	LADING NO	CERT ID / REV	CERT DATE								
3887	SQ-N34035			/									
PART DESCRIPTION SHSQ0750035J300 ***** Square OD ***** Side1: 0.7500 Max:0.7600 Min:0.7400 Side2: 0.7500 Max:0.7600 Min:0.7400 Wall: 0.0350 Max:0.0380 Min:0.0320 Length: 12.00/25.00 Spec: AMS-T 636B Seamless Aircraft Grade: 4130 Anneal: Cond N													
CERTIFICATION REQUIREMENTS FAR BAA (FAR 52.225-1 Buy America Act Supplies), DFARS 252.225-7001 By America Act & Bal. of Payments Program FAR TAA (FAR 52.225-5 Trade Agreements)(Paragraph 1,3,4,5) This material was Eddy Current tested and conforms to the requirements of ASTM A-450. The Grain size is determined and reported by the raw material supplier in accordance to ASTM E-112. This raw material was magnetic particle inspected by the raw material supplier in accordance to AMS 2640J and/or ASTM E-1444, and rated as Frequency, and Severity to AMS 2301, latest revision. Yield is determined using the 0.2% offset method. Additional Specifications - AMS-T 6736B, 6360P & 6371L. Material produced in accordance to ASTM A-515-17 and MIL-T 6736B. This material meets Plymouth ProMoly specifications. Jominy results: J(5/16")=45 J(8/16")=38													
Chemical Analysis													
C	Mn	P	S	Si	Al	Cr	Mo	Ni	Pb	Cu	V	Ti	Sn
.310	.55	.011	.002	.230	.036	.87	.18	.12	.001	.16	.002	.002	.010
Physical Properties													
Freq.	Severity	Grain Size											
.020	.015	9											
Mechanical Properties													
TEST	UNITS	#TESTS	HIGH	LOW	AVERAGE	STD. DEV							
Tensile	Psi	6	126660	125480	126065	482							
Yield	Psi	6	120930	119880	120387	374							
Elongation	%	6	21	20	20	1							
Rockwell C	Rc	6	25	25	25	0							
TEST	RESULT												
Decarb/OD	Pass												
Total ID/OD decarb	Pass												

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Streator in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

Jamie Berosselt
Quality Assurance



PLYMOUTH TUBE CO.

1209 East 12th Street, Streator, Illinois 61364

Phone: (815) 673-1515 Fax: (815) 672-7343

TRUST YOUR SOURCE! ACCEPT NO SUBSTITUTIONS!



PRODUCT CERTIFICATION

SALES ORDER - LINE / RLS

175629 - 1 / 0

SHIP TO

Factory Steel & Metal Supply C
14020 Oakland Avenue
Detroit, MI 48203
USA

WORK ORDER 023679

PCS/HEAT 0

HEAT NUMBER 616506

MELT SOURCE Benteler Steel & Tube-Germany

CUSTOMER P.O.	CUSTOMER PART	QUANTITY	LADING NO	CERT ID / REV	CERT DATE
3887	SQ-N34035			/	

PART DESCRIPTION SHSQ0750035J300

Additional Specification(s)

TEST	UNITS	#TESTS	HIGH	LOW	AVERAGE	STD-DEV
Brinell	Brinell	6	253	253	253	0

This test report data is for the heat Chemistry Stated above.

The material in this test report is:

- 1) Drawn in the USA
- 2) Free from Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Mercury contamination.
- 3) N-FTA compliant.

End of Certification

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Streator in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

Janine Beross
Quality Assurance

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M4130NTS 0.750W.035 PO / BATCH NO.: P0MB045594
 DATE: JAN 27 2020 5250794

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 609 PL
 QUANTITY INSPECTED: 609 PL
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .750W.035
 THICKNESS RECEIVED: .750W.035
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> N	MIL-T-6736
CORRECT THICKNESS	<input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> N	616506
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	


CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office


QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: _____	DAS 82	SIGNED OFF BY: _____	
DATE: <u>JAN 27 2020</u>	9-89	DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

QTY -041	P/N	DESCRIPTION
X	D5795-041	SHORT LID ASSY
2	D5795-041	HANDLE BRACKET
1	D5795-3	BACK RIM
1	D5795-5	FRONT RIM
1	D5795-7	RIB
2	D5795-11	STRINGER
4	D5795-13	STRINGER
1	D5795-15	PLACARD BRACKET
1	D5795-17	LID MESH
1	D5802-1	TREADPLATE
2	D5853-045	LID RIM WELDMENT
14	CR3213-4-02	RIVET



SECTION A-A
SCALE 2X



D5795-041 SHORT LID ASSY
(DERIVED FROM AERO DESIGN P/N 77612-01)
(MESH SHOWN LOCALLY FOR CLARITY)

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044
- 7) WEIGHT: 14.14 lbs
- 8) WELD PER DART QSI 004. IT IS PERMISSIBLE TO BUFF OR GRIND TO CLEAN UP WELDS
- 9) DRILL #30 (Ø0.129) VENT HOLES AS REQUIRED. FILL ALL EXPOSED VENT HOLES WITH ROSETTE WELD PRIOR TO FINISH.
- 10) INSTALL TREADPLATE AFTER FINISH. TRANSFER MARK AND DRILL HOLES Ø0.129 +0.003 / -0.000 FROM TREADPLATE TO LID. FAY SEAL TO SURFACES BETWEEN LID AND TREADPLATE WITH RTV SILICONE. SECURE TREADPLATE WITH RIVETS.
- 11) WELD EVERY MESH INTERSECTION ALONG RIM.
- 12) FOR EACH RIB, WELD FIRST 5 MESH INTERSECTIONS DOWN EACH END, THEN EVERY 2ND MESH INTERSECTION MINIMUM.
- 13) FOR EACH STRINGER, WELD EVERY 2ND MESH INTERSECTION MINIMUM.
- 14) ALIGN STRINGERS TO TOP OF LID.
- 15) LOCATE D5795-15 PLACARD BRACKET FLUSH WITH BOTTOM OF LID. TRIM MESH TO CLEAR BRACKET LEAVING 0.25 OVERLAP. WELD MESH TO BRACKET.

RELEASED

2020 FEB 18 NP
E CN 2020-521

UNDER REVIEW
URF 2020-522 20.02.14 (NO)

APPROVED


REV.	DESCRIPTION	BY	DATE
A	NEW ISSUE	ZF	20.01.15
DESIGN	ZF		
DRAWN	ZF		
CHECKED	KPT		
MFG. APPR.	DD		
APPROVED	NO		
DE APPR.	CP		
DATE	20.01.15		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA


DRAWING NO. **D5795**
REV. A
SHEET 1 OF 6

TITLE **SHORT LID ASSY**
SCALE
NTS


COPYRIGHT © 2020 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.




8 7 6 5 4 3 2 1




D5795-3 BACK RIM



SECTION D-D



D5795-5 FRONT RIM



D5795-7 RIB

DAS
9
9-89

UNDER REVIEW

URF 2020-522 20.02.14 (NO)

NOTES:

- 1) MATERIAL: AISI 4130N STEEL SQUARE TUBING, 3/4 X 0.035 WALL
PER MIL-T-6736 OR AMS 6371/6360/6361/6362/6373/6374
REF DART SPEC M4130N-TS0.750W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: -3/-5: 1.55 lbs
-7: 0.58 lbs

RELEASED

2020 FEB 18 NO

APPROVED

DESIGN ZF
DRAWN ZF
CHECKED KPT
MFG. APPR. DD
APPROVED NO
DE APPR. CP
DATE 20.01.15


DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D5795
TITLE
SHORT LID ASSY

REV. A
SHEET 3 OF 6
SCALE
NTS

COPYRIGHT © 2020 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8 7 6 5 4 3 2 1



D5795-15 PLACARD BRACKET
(DERIVED FROM AERO DESIGN P/N 36204-10)

UNDER REVIEW

URF 2020-522 20.02.14 (NO)

NOTES:

- 1) MATERIAL: AISI 1010/1025 STEEL SHEET, COLD ROLLED, #20GA (0.035 THICK)
PER ASTM A36/A366/A1008 OR CSA G40-21 38W/44W/50W/60W/70W
REF DART SPEC M1010-S20GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.07 lbs

RELEASED
2020 FEB 18 *Wd*

APPROVED

DESIGN ZF
DRAWN ZF
CHECKED KPT
MFG. APPR. DD
APPROVED NO
DE APPR. CP
DATE 20.01.15

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D5795

TITLE
SHORT LID ASSY


REV. A

SHEET 5 OF 6

SCALE

NTS

COPYRIGHT © 2020 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



D5795-17 LID MESH
(MESH SHOWN LOCALLY FOR CLARITY)

UNDER REVIEW
URF 2020-522 20.02.14 (NO)

- NOTES:**
 1) MATERIAL: CARBON STEEL EXPANDED METAL MESH 3/4-16F
 PER ASTM F1267 OR MIL-M-17194D
 REF DART SPEC M569EX0.75-16F
 2) FINISH: NONE
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: N/A
 6) IDENTIFICATION: NONE
 7) WEIGHT: 4.56 lbs

RELEASED
2020 FEB 18 *NO*

APPROVED

DESIGN	ZF	DART AEROSPACE LTD	
DRAWN	ZF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	DRAWING NO.	REV. A
MFG. APPR.	DD	D5795	SHEET 6 OF 6
APPROVED	NO	TITLE	SCALE
DE APPR.	CP	<i>47</i> SHORT LID ASSY	NTS
DATE	20.01.15	<small>COPYRIGHT © 2020 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8

7

6




5

4

3

2

1

**D5795-11 STRINGER****SECTION E-E****D5795-13 STRINGER**

UNDER REVIEW

URF 2020-522 20.02.14 (NO)

NOTES:

- 1) MATERIAL: AISI 4130N STEEL SQUARE TUBING, 1/2 X 0.035 WALL
PER MIL-T-6736 OR AMS 6371/6360/6361/6362/6373/6374
REF DART SPEC M4130N-TS0.500W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: -11/-13: 0.32 lbs

RELEASED
2020 FEB 18 NO

APPROVED

DESIGN ZF
DRAWN ZF
CHECKED KPT
MFG. APPR. DD
APPROVED NO
DE APPR. CP
DATE 20.01.15

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D5795

TITLE
SHORT LID ASSY

REV. A

SHEET 4 OF 6

SCALE

NTS

COPYRIGHT © 2020 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8

7

6

5

4

3

2

1